

CERTIFICATE OF COMPLIANCE

Certificate Number 20131204-E465038
Report Reference E465038-20131101
Issue Date 2013-DECEMBER-04

Issued to: FEAM SRL
Via Mario Pagano 3, 20090 Trezzano S/Naviglio Mi ITALY

**This is to certify that
representative samples of**

AUXILIARY DEVICES FOR USE IN ZONE CLASSIFIED
HAZARDOUS LOCATIONS


See Addendum Page

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: See Addendum Page

Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers:  the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20131204-E465038
Report Reference E465038-20131101
Issue Date 2013-DECEMBER-04

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Models:

USL - Fittings for use in Class I, Zone 1, AEx d IIC Gb, AEx e IIC Gb; Zone 21, AEx tb IIIC Db IP66 Hazardous Locations.

Model LBY; followed by 16, 26, 36, or 56; followed by N, M, or G; followed by AL, X, AZ, OT, or ON

Model NP; followed by 1, 2, 3, 4, 5, 6, 7 or 8; followed by N, M, or G; followed by AL, X, AZ, OT, or ON; followed by A or B.

Model EM; followed by 1, 2, 3, 4, 5, 6, 7 or 8; followed by N, M, or G; followed by AL, X, AZ, OT, or ON

Model PLG; followed by 1, 2, 3, 4, 5, 6, 7 or 8; followed by N, M, or G; followed by AL, X, AZ, OT, or ON; followed by A, B, C or D.

Model ELF, ELM, or ELMF; followed by 1, 2, 3, 4, 5, 6, 7 or 8; followed by N, M, or G; followed by AL, X, AZ, OT, or ON

Model RE, REM, REB, or REN; followed by 1, 2, 3, 4, 5, 6, 7 or 8; followed by N, M, or G; followed by AL, X, AZ, OT, or ON; followed by A or B.

Drain/Vent Fittings – Class I, Zone 1, AEx e IIC Gb; Zone 21, AEx tb IIIC Db IP66 Hazardous Locations.

Model V; followed by 1; followed by N or M; followed by X

CNL - Fittings for use in Class I, Zone 1, Ex d IIC Gb, Ex e IIC Gb; Class II, Groups E, F, and G Hazardous Locations.

Model LBY; followed by 16, 26, 36, or 56; followed by N, M, or G; followed by AL, X, AZ, OT, or ON

Model NP; followed by 1, 2, 3, 4, 5, 6, 7 or 8; followed by N, M, or G; followed by AL, X, AZ, OT, or ON; followed by A or B.

Model EM; followed by 1, 2, 3, 4, 5, 6, 7 or 8; followed by N, M, or G; followed by AL, X, AZ, OT, or ON

Model PLG; followed by 1, 2, 3, 4, 5, 6, 7 or 8; followed by N, M, or G; followed by AL, X, AZ, OT, or ON; followed by A, B, C or D.

Model ELF, ELM, or ELMF; followed by 1, 2, 3, 4, 5, 6, 7 or 8; followed by N, M, or G; followed by AL, X, AZ, OT, or ON

Model RE, REM, REB, or REN; followed by 1, 2, 3, 4, 5, 6, 7 or 8; followed by N, M, or G; followed by AL, X, AZ, OT, or ON; followed by A or B.

Drain/Vent Fittings – Class I, Zone 1, Ex e IIC Gb; Class II, Groups E, F, and G Hazardous Locations.

Model V; followed by 1; followed by N or M; followed by X



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20131204-E465038
Report Reference E465038-20131101
Issue Date 2013-DECEMBER-04

Standards:

Standard No. UL 60079-0, Explosive atmospheres – Part 0: Equipment – General requirements
Standard No. UL 60079-1, Electrical Apparatus for Explosive Gas Atmospheres – Part 1: Flameproof Enclosures “d”
Standard No. UL 60079-7, Explosive Atmospheres – Part 7: Equipment protection by increased safety “e”
Standard No. ANSI/ISA-60079-31-2009, Explosive Atmospheres – Part 31: Equipment Dust Ignition Protection by Enclosure “t”
Standard No. CAN/CSA-C22.2 No. 60079-0:11, Explosive atmospheres — Part 0: Equipment — General requirements
Standard No. CAN/CSA-C22.2 No. 60079-1:11, Explosive atmospheres — Part 1: Equipment protection by flameproof enclosures “d”
Standard No. CAN/CSA C22.2 No. 60079-7:12, Explosive atmospheres — Part 7: Equipment protection by increased safety “e”
Standard No. CAN/CSA C22.2 No. 60079-31:12, Electrical Apparatus for Explosive Atmospheres – Part 31: Equipment Dust Ignition Protection by Enclosure “t”



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

